


TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	50 mm
ND DISCHARGE	32 mm

**32-160**  
1450 rpm






DATE: 01/05/11

CURVE NO. SRF00101






Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	50 mm
ND DISCHARGE	32 mm






TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	65 mm
ND DISCHARGE	40 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	65 mm
ND DISCHARGE	40 mm

**40-200**  
1450 rpm



DATE: 01/05/11




CURVE NO. SRF00104



Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	65 mm
ND DISCHARGE	40 mm

**40-250**  
**1450 rpm**






DATE: 01/05/11

CURVE NO. SRF00105









Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	65 mm
ND DISCHARGE	50 mm






TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	65 mm
ND DISCHARGE	50 mm













TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	80 mm
ND DISCHARGE	65 mm




TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	80 mm
ND DISCHARGE	65 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	80 mm
ND DISCHARGE	65 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1 000 kg/m <sup>3</sup>
ND SUCTION	80 mm
ND DISCHARGE	65 mm




DATE: 24/01/14

CURVE NO. SRF00112



Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	80 mm
ND DISCHARGE	65 mm






DATE: 24/01/14

CURVE NO. SRF 00113






Franklin Electric




TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	100 mm
ND DISCHARGE	80 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	100 mm
ND DISCHARGE	80 mm






TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	100 mm
ND DISCHARGE	80 mm











TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	100 mm
ND DISCHARGE	80 mm

**80-315**  
1450 rpm






TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	100 mm
ND DISCHARGE	80 mm





TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	125 mm
ND DISCHARGE	100 mm

**100-250**  
**1450 rpm**




DATE: 01/05/11




CURVE NO. SRF00120



Franklin Electric




TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	125 mm
ND DISCHARGE	100 mm





TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	150 mm
ND DISCHARGE	125 mm

**125-250**  
**1450 rpm**






DATE: 01/05/11

CURVE NO. SRF00123



Franklin Electric




TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	150 mm
ND DISCHARGE	125 mm





TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	150 mm
ND DISCHARGE	125 mm

**125-400**  
1450 rpm



DATE: 01/05/11




CURVE NO. SRF00125



Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm

**150-315**  
1450 rpm






DATE: 01/05/11

CURVE NO. SRF00126






Franklin Electric

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm






TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	125 mm
ND DISCHARGE	100 mm




**200-315**  
1450 rpm



DATE: 24/01/14




CURVE NO. SRF00129

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm



TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm

**250-315**  
1450 rpm



DATE: 24/01/14

CURVE NO. SRF00131

TYPICAL PERFORMANCE CURVE	
TESTED ACCORDING TO ISO 9906 Annex A	
PERFORMANCE	1000 kg/m <sup>3</sup>
ND SUCTION	200 mm
ND DISCHARGE	150 mm

